L Number	Hits	Search Text	DB	Time stamp
1	342	711/213.ccls.	USPAT; US-PGPUB	2004/02/03 16:42
2	132	711/214.ccls.	USPAT;	2004/02/03
-	188	712/209.ccls. and @ad<=20000328	US-PGPUB USPAT; US-PGPUB	16:42 2003/12/08
_	173	712/229.ccls. and @ad<=20000328	USPAT; US-PGPUB	16:12 2003/01/06 11:28
-	12	712/209.ccls. and ("64" near5 processor) and ("32" near5 instruction) and @ad<=20000328	USPAT; US-PGPUB	2003/01/06 10:12
-	1	712/209.ccls. and ("64" near5 processor) and ("32" near5 instruction) and (truncat\$3 with address) and @ad<=20000328	USPAT; US-PGPUB	2003/01/06 10:13
-	12		USPAT; US-PGPUB	2003/01/06 11:31
-	12	(("64" "96" "128") near5 processor) and (("32" "16") near5 instruction) and (truncat\$3 with (target address)) and @ad<=20000328	USPAT; US-PGPUB	2003/01/06 11:40
-	45	emulat\$3 and instruction and (truncat\$3 with (address target)) and @ad<=20000328	USPAT; US-PGPUB	2003/01/06 11:42
-	40	emulat\$3 and architecture and instruction and (truncat\$3 with (address target)) and @ad<=20000328	USPAT; US-PGPUB	2003/01/06 · 11:48
-	129	("32" with bit with instruction) and ("64" with bit with processor) and emulat\$3 and @ad<=20000328	USPAT; US-PGPUB .	2003/01/06 11:50
-	24	(("32" with bit with instruction) and ("64" with bit with processor) and emulat\$3 and @ad<=20000328) and (address adj2 space) and (truncat\$3 extend) and	USPAT; US-PGPUB	2003/01/06 15:41
-	15	<pre>@ad<=20000328 emulat\$3 and truncat\$3 with extend and @ad<=20000328</pre>	USPAT; US-PGPUB	2003/01/06 15:43
-	9	(truncat\$3 same extend same "32" same "64") and address and @ad<=20000328	USPAT; US-PGPUB	2003/01/06
-	8	select\$4 same ((signed and unsigned) with address) and @ad<=20000328	USPAT; US-PGPUB	2003/01/06 16:38
-	48	(flag bit) with control with (signed and unsigned) and @ad<=20000328	USPAT; US-PGPUB	2003/01/07 11:44
-	6		USPAT; US-PGPUB	2003/01/07 11:46
_	86	unsigned near2 address and @ad<=20000328	USPAT; US-PGPUB	2003/01/07
-	7	(unsigned near2 address) with memory and @ad<=20000328	USPAT; US-PGPUB	2003/01/07
_	15	unsigned with address with space and @ad<=20000328	USPAT; US-PGPUB	2003/01/07 11:54
_	3	signed with address with space	USPAT; US-PGPUB	2003/01/08
_	2	compar\$4 with address with "32" with "64" with (fault exception) and @ad<=20000328	USPAT; US-PGPUB	2003/01/08
_	336	compar\$4 with address with (fault exception) and @ad<=20000328	USPAT; US-PGPUB	2003/01/08
-	88	compar\$4 near3 address near5 (fault exception) and @ad<=20000328	USPAT; US-PGPUB	2003/01/08
	28	compar\$4 adj address near5 (fault exception) and @ad<=20000328	USPAT; US-PGPUB	2003/01/08
_	50	(mask with address with (fault exception)) and @ad<=20000328	USPAT; US-PGPUB	2003/01/08
_	5	compar\$4 with (overflow wraparound) with (fault exception) and @ad<=20000328	USPAT; US-PGPUB	2003/01/08 11:55
-	1	compar\$4 with (overflow wraparound) same (address with (fault exception)) and @ad<=20000328	USPAT; US-PGPUB	2003/01/08

-	1	(compar\$4 with address) same (overflow	USPAT;	2003/01/08
		wraparound) with (fault exception) and	US-PGPUB	13:05
1		@ad<=20000328	05 10105	13.00
				0000 (01 (00
-	69		USPAT;	2003/01/08
		(fault exception) and @ad<=20000328	US-PGPUB	13:07
-	14	("3828316" "4161784" "4206503"	USPAT	2003/12/08
		"4366548" "4386399" "4398243"		08:40
				00.40
		"4409655" "4434459" "4608634"		
		"4675809" "4785393" "4868740"		
	1	"4890251" "5301338").PN.		ŀ
_	23	5420992.URPN.	USPAT	2003/05/15
	2.5	0.20332.01.11.	051111	11:27
				1
-	17	(truncat\$3 with address\$2) same (extend\$3	USPAT;	2003/05/15
	1	with address\$2)	US-PGPUB	13:12
_	2	(truncat\$3 with address\$2) same (extens\$3	USPAT;	2003/12/04
	1	with address\$2)	US-PGPUB	13:44
	4.55			
_	477	porting with (program application)	USPAT;	2003/05/15
			US-PGPUB	13:46
_	216	porting near2 (program application)	USPAT;	2003/05/15
	1	1	US-PGPUB	13:47
I _	1 22	nouting noon? /mnagmam ammliantianly and		1
_	33	porting near2 (program application) and	USPAT;	2003/05/15
1		(address with (truncat\$3 sign exten\$4))	US-PGPUB	13:48
-	49	porting with (program application) and	USPAT;	2003/05/15
	1	(address with (truncat\$3 sign exten\$4))	US-PGPUB	13:51
l _	16	porting with (program application) and	USPAT;	2003/05/15
-	1 20			1 ' '
}		(address with (truncat\$3 sign))	US-PGPUB	14:00
-	98	confin\$3 with memory with (application	USPAT;	2003/05/15
		program)	US-PGPUB	14:01
_	15	("64" near2 bit near2 address) with ("32"	USPAT;	2003/12/02
_	13		· ·	
	_	near2 bit near2 space)	US-PGPUB	15:01
-	3	(US-6049667-\$ or US-5920722-\$ or	USPAT	2003/12/02
		US-5826057-\$).did.		14:20
_	1	((US-6049667-\$ or US-5920722-\$ or	USPAT;	2003/12/02
	•	US-5826057-\$).did.) and exten\$4	US-PGPUB	14:20
-	263		USPAT;	2003/12/02
		near2 bit) and exten\$4	US-PGPUB	15:01
l -	5	("64" near2 bit near2 address) with ("32"	USPAT;	2003/12/02
	,	near2 bit) and exten\$4 same truncat\$3	US-PGPUB	15:07
	222		l '	2003/12/02
-	232	porting near2 (program application)	USPAT;	
			US-PGPUB	15:07
-	24	porting near2 (program application) and	USPAT;	2003/12/02
		((truncat\$3 exten\$4) near3 address)	US-PGPUB	15:08
l _	8	(confin\$3 near3 (application program)	USPAT;	2003/12/04
	1		· ·	
1	_	with memory) same address	US-PGPUB	13:47
-	0	(truncat\$4 with (half "32") with ("64"	USPAT;	2003/12/04
	!	near2 address))	US-PGPUB	13:48
_	1	(truncat\$4 with ("64" near2 address))	USPAT;	2003/12/04
	1	, , , , , , , , , , , , , , , , , , , ,	US-PGPUB	13:49
	-	thungated with balf with address	l '	l l
-	1	truncat\$4 with half with address	USPAT;	2003/12/04
			US-PGPUB	15:43
-	2	((flag indicat\$4 specif\$3) with unsigned	USPAT;	2003/12/04
		with signed with address) same exten\$4	US-PGPUB	15:44
_	0	(unsigned with signed with address) same	USPAT;	2003/12/04
-	1		·	
		exten\$4 same truncat\$3	US-PGPUB	15:44
-	0	angiulli.in.	IBM_TDB	2003/12/08
			1 -	08:41
l –	1	(enhancement and MH).ti.	IBM TDB	2003/12/08
	•	\		09:01
		(11		1
-	77	(backward near2 (compatible	USPAT	2003/12/08
		compatibility)) and (exten\$5 near3		09:05
		address)		
l -	111	(backward near2 (compatible	USPAT	2003/12/08
			******	09:06
		compatibility)) and (exten\$5 near3		09.00
}		address)		
-	24	(backward near2 (compatible	USPAT	2003/12/08
		compatibility)) and ((zero sign) near2		09:07
[exten\$5 near3 address)		
	1 12		HCDAE	2002/12/00
-	13	((zero and sign) near2 exten\$5 near3	USPAT	2003/12/08
		address)		10:33
-	157	711/212.ccls.	USPAT	2003/12/08
1	1		1	10:40
			t	

- '	85	711/212.ccls. and exten\$4	USPAT	2003/12/08
				11:08
-	7	711/212.ccls. and exten\$4 and (signed and	USPAT	2003/12/08
		unsigned)		10:52
-	6	711/212.ccls. and exten\$4 and (signed and	USPAT	2003/12/08
		unsigned) not extent		10:58
-	377	(flag bit) with (zero and sign) near2	USPAT	2003/12/08
		exten\$4		10:58
_	57	(flag signal) with (zero and sign) near2	USPAT	2003/12/08
		exten\$4		10:59
_	5	(flag signal) with (zero and sign) near2	USPAT	2003/12/08
		exten\$4 with address		11:04
_	l 0	((flag bit signal) near2 indicat\$3) with	USPAT	2003/12/08
	_	(zero and sign) near2 exten\$4 with		11:04
		address		
l _	l 0		USPAT	2003/12/08
1		(zero and sign) near2 exten\$4 with	002711	11:05
		address		11.00
_	5	711/212.ccls. and (zero and sign) near2	USPAT	2003/12/08
_	,	exten\$4	USFAI	14:12
l _	3	(signed and unsigned) near3 address near2	USPAT	2003/12/08
		space	OSFAI	14:27
	2	space ((zero nearl exten\$4) with address) same	USPAT	2003/12/08
_	2	((Zelo heall extensa) with address) same (advantage\$3 benefit)	USPAI	14:31
	0		USPAT	2003/12/08
! -	١	((2020 110422 01100117 1, 112011 02 220	USPAT	14:34
	0	address") same "64-bit address"	11G D D M	
-	U	(\	USPAT	2003/12/08
	,	address")	TTG D D M .	14:34
l -	0	(,	USPAT;	2003/12/08
		address with space)	US-PGPUB	16:14
-	1	(, = g = =	USPAT;	2003/12/08
Ì		address\$3)	US-PGPUB	16:24
_	9	((advantage benefit) with unsigned with	USPAT;	2003/12/09
		number)	US-PGPUB	08:59
-	1	pointer with exten\$4 with (zero and sign)	USPAT;	2003/12/08
			US-PGPUB	17:03
-	47	((advantage benefit pro) with unsigned)	USPAT;	2003/12/09
	. –		US-PGPUB	09:02
-	17	(use implement) with unsigned with	USPAT;	2003/12/09
		address	US-PGPUB	09:18
-	1	(simple straightforward) with unsigned	USPAT;	2003/12/09
i		with address	US-PGPUB	09:19